

Educational Moments[®]

How to manage patients with Lid Wiper Epitheliopathy (LWE)

Also known as Upper Lid Margin Staining (ULMS)



WHAT YOU NEED TO KNOW

Slit Lamp Viewing: • Diffuse beam • Medium magnification (around 16x) • 2 drop instillation of Lissamine Green and observe 1-5 mins later; or 2 drop instillation of fluorescein and observe with cobalt blue filter 3- 5 mins later

Grading: Mean of grade for staining length (mm) and grade for sagittal width of staining (% of width of wiper area)

- 0: <2mm horizontal length of staining
- 1: 2-4mm horizontal length of staining
- 2: 5-9mm horizontal length of staining
- 3: >9mm horizontal length of staining

- 0: <25% average sagittal width of staining
- 1: 25-50% average sagittal width of staining
- 2: 50-75% average sagittal width of staining
- 3: >75% average sagittal width of staining



Incidence:

- Up to 85% of habitual soft lens wearers
- 88% of non-CL wearers with dry eye symptoms (32% ≥ grade 2) and 16% of asymptomatic non-wearers
- Can occur in the absence of positive dry eye test findings
- Correlates with lid parallel conjunctival folds (LIPCOF), tear film stability and tear volume, mucin quantity, bulbar and limbal hyperaemia, ocular surface staining and dry eye symptoms
- More common with rigid corneal (RCL) and SiHy lenses

Aetiology:

- Alteration in epithelium of advancing lid margin due to friction during lid movement across the lens surface
- In dry eye, tear film thickness insufficient to separate ocular surface and lid wiper
- Other causes include blinking disorders, lid and ocular surface abnormalities

Symptoms:

- Increased lens awareness
- Scratchiness on blinking
- Reduced wearing time

Signs:

- Characteristic staining at upper lid margin



Figure 1: Upper lid wiper epitheliopathy with Lissamine Green




Figure 2: Higher magnification view of upper lid wiper epitheliopathy with Lissamine Green




Figure 3: Lower lid wiper epitheliopathy with Lissamine Green

Educational Moments®

How to manage patients with Lid Wiper Epitheliopathy (LWE)

Also known as Upper Lid Margin Staining (ULMS)

PATIENT CASE STUDY

When you have read this guide and our recommended resources, why not take part in the Johnson & Johnson Institute self-assessment quiz to test your clinical, diagnostic and management skills. Choose only one answer to each question then check the answers at the foot of the page to see whether it's correct. Good luck!

History:



Patient AS is 36 years old and works long, irregular hours in a call centre. He has worn monthly replacement silicone hydrogel contact lenses for 7 years. Six months after his aftercare appointment he returns complaining that his lenses are 'scratchy' on blinking and his maximum comfortable wearing time is 6 hours.

Questions:

1. What is the best staining technique for examining this patient's lid margin?

- A. Fluorescein followed by lissamine green
- B. Lissamine green only
- C. Fluorescein only
- D. Rose bengal only

2. What grade would you give to his LWE?

- A. Grade 0
- B. Grade 1
- C. Grade 2
- D. Grade 3

3. What proportion of contact lens wearers with dry eye symptoms show LWE on staining?

- A. 68%
- B. 78%
- C. 88%
- D. 98%

4. Which of the following management options could you consider?

- A. Discontinue lens wear
- B. Continue with current lenses and reduce wearing time
- C. Refit with RGPs
- D. Switch to silicone hydrogel lenses with a more lubricious lens surface and shorter replacement schedule

Answers:

1. Correct answer is A. To examine the lid wiper area use fluorescein and cobalt blue illumination then lissamine green and white light

2. Correct answer is C. Grade 2. About 50-75% of the sagittal width of the lid wiper shows staining so this would be a Grade 2 LWE

3. Correct answer is C. LWE is a very common finding in contact lens wearers experiencing dryness and also in non-wearers with dry eye symptoms

4. Correct answer is D. LWE grade 2 or over, or with symptoms, needs to be managed. Refit with lenses of a lower coefficient of friction and shorter replacement